



APC Easy UPS On-Line SRV Battery Pack for 6/10kVA Extended runtime model, 240V

SRV240BP-9A

Overview

Lead time Usually in Stock

Main

Product or component type	Battery
Battery type	Lead-acid battery
Provided equipment	User manual Battery cable
Range of product	Easy UPS On-Line

Batteries & Runtime

Number of battery blocks per string	20	
Device mounting	Floor mounted	
Number of battery filled slots	0	
Number of battery free slots	0	
Battery voltage	240 V	

Physical

Colour	Black
Height	36.8 cm
Width	19 cm
Depth	48.5 cm
Net weight	60 kg
Mounting mode	Not rack-mountable
USB compatible	No

Conformance

Product certifications	CE
	UKCA
	EAC
	EN/IEC 62040-1

Environmental

Ambient air temperature for operation	040 °C
Relative humidity	095 % non-condensing

Operating altitude	03000 m
Ambient air temperature for storage	-1540 °C
Storage Relative Humidity	095 % non-condensing
Storage altitude	015000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	46 cm
Package 1 Width	57 cm
Package 1 Length	29 cm
Package 1 Weight	63 kg

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Image of product / Alternate images

Alternative



