



APC Easy UPS On-Line SRV Battery Pack (6/10kVA) for Extended Runtime Model 240V, 2160VAh, rackmount with kit, 3U

SRV240RLBP-9A

Overview

Lead time Usually in Stock

Main

Product or component type	External battery pack	
Number of rack unit	3U	
Battery type	Lead-acid battery	
Provided equipment	User manual Battery cable Rack mounting brackets	
Range of product	Easy UPS On-Line	

Batteries & Runtime

Number of battery blocks per string	20
Device mounting	Rack mount
Number of battery filled slots	0
Number of battery free slots	0
Battery voltage	240 V

Physical

Colour	Black	
Height	133 mm	
Width	438 mm	
Depth	606 mm	
Net weight	63 kg	
Mounting mode	Rack-mounted with kit	
USB compatible	No	

Conformance

Product certifications	CE	
	UKCA	
	EAC	
	EN/IEC 62040-1	

Environmental

Ambient air temperature for	040 °C		
Ambient an temperature for	040 C		
oneration			
Operation			

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Relative humidity	095 % non-condensing	
Operating altitude	03000 m	
Ambient air temperature for storage	-1540 °C	
Storage Relative Humidity	095 % non-condensing	
Storage altitude	015000 m	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	25 cm
Package 1 Width	87 cm
Package 1 Length	58 cm
Package 1 Weight	70 ka

Contractual warranty

Warranty (in months)



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Total lifecycle Carbon footprint	321
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
SCIP Number	5ac12844-46eb-471b-94f1-318e06a714a6
REACh Regulation	REACh Declaration
Energy Efficiency Optimized	Energy efficient product

Use Again

○ Repack and remanufacture	
End of life manual availability	End of Life Information
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative



