

AC1200 Wireless Dual Band 4G LTE Router

Model: MB130-4G



// Highlights

- 867 Mbps + 300 Mbps Dual Band Wi-Fi[†]
- 4G Download Speed up to 150 Mbps[‡]
- SIM Card Plug and Play
- Easy App Control
- Connect up to 64 Devices[†]



// Superfast 4G LTE Speed for Reliable Wi-Fi

Working as a 4G router, the MB130-4G uses 4G LTE technology to achieve superfast speeds up to 150 Mbps download and 50 Mbps upload. It can also share a Wi-Fi network for gaming, streaming, and more.[†]



Remote Areas



On Vacation



Business Meetings

Ideal Use Places

// Features



1.2 Gbps Fast Wi-Fi Speed

Complying with the powerful 802.11ac standard, MB130-4G delivers blazing fast Wi-Fi speeds up to 1200 Mbps. Choose the 300 Mbps (2.4 GHz) for internet surfing, email, and social media or 867 Mbps (5 GHz) for bandwidth-intensive tasks like HD streaming and gaming.[†]



Supports Up to 64 Devices

Easily share a 3G/4G connection. Connect up to 64 wireless devices with ease while ensuring dependable network stability.



Design for Maximum Network Coverage

Advanced LTE antennas make efficient and stable connections to every device. Power Amplifier and Low Noise Amplifier boost sending and receiving capabilities, creating a wide-coverage Wi-Fi network for your home.

// Specifications

Hardware

- **LTE:**
Download Speed 150 Mbps +Upload Speed 50 Mbps[‡]
- **Ports:**
1× 10/100 Mbps LAN/WAN +1× 10/100 Mbps LAN
2×4G/3G External Antenna Ports
- **Antennas:**
2 Internal 4G LTE Antennas
- **Dimensions:**
3.74 × 2.40 × 6.53 in (95 × 61.05 × 165.97 mm)
- **External Power Supply:**
12V/1A



Wireless

- **Network Type (EU):**
4G: FDD-LTE: B1/B3/B5/B7/B8/B20/B28
(2100/1800/850/2600/900/800/700 MHz)
TDD-LTE: B38/B40 (2600/2300 MHz)
3G: HSPA+/UMTS: B1/B5/B8 (2100/850/900 MHz)
- **Wireless Standards:** IEEE 802.11ac/a/b/g/n[†]
- **Frequency:** 2.4 GHz, 5 GHz
- **Signal Rate:** 867 Mbps (5 GHz) + 300 Mbps (2.4 GHz)
- **EIRP (CE):** < 20 dBm (2.4 GHz)
- **Reception Sensitivity:**
11g 54M: -74dBm
11N HT20 MCS7: -73dBm
11N HT40 MCS7: -70dBm
- **Wireless Function:**
Enable/Disable Wireless Radio, Wireless Schedule, WMM, Wireless Statistics, Smart Connect
- **Wireless Security:**
64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK encryptions

// Specifications

Software

- **Operating Modes:**
3G/4G Router, Wireless Router
- **WAN Type:**
Dynamic IP/Static IP/PPPoE/PPTP(Dual Access)/L2TP(Dual Access)
- **DHCP:**
Server, DHCP Client List, Address Reservation
- **Port Forwarding:**
ALG, Virtual Server, Port Triggering, UPnP, DMZ
- **Dynamic DNS:**
DynDns, NO-IP
- **Security:**
IPv6 Firewall, DoS Protection, IPv4 SPI Firewall, IP and MAC Address Binding
- **Protocols:**
IPv4, IPv6
- **Management:**
Local Management, Remote Management
- **Administration:**
Upgrade Firmware, Factory Default, System Log, Diagnostic Tools
- **Guest Network:**
2.4 GHz Guest Network, 5 GHz Guest Network

Others

- **Certification:**
CE, RoHS
- **Requirements:**
Internet Explorer 11+, Firefox 12.0+, Chrome 20.0+, Safari 4.0+, or other JavaScript-enabled browser
Nano SIM Card
- **Environment:**
Operating Temperature: 0°C~40°C (32°F ~104°F)
- **Package Contents**
AC1200 Wireless Dual Band 4G LTE Router MB130
Power Adapter
RJ45 Ethernet Cable
Quick Installation Guide

Specifications are subject to change without notice. MERCUSYS is a registered trademark of MERCUSYS TECHNOLOGIES CO., LTD. Other brands and product names are trademarks or registered trademarks of their respective holders. Copyright © 2024 MERCUSYS TECHNOLOGIES CO., LTD. All rights reserved.

[†]Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput and wireless coverage, and quantity of connected devices are not guaranteed and will vary as a result of network conditions, client limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and client location.

[‡]Maximum 4G download speeds depend on external factors such as the local 4G network coverage, data plan, real-time network capacity, client limitations, and environmental factors.

Actual network speed may be limited by the rate of the product's Ethernet WAN or LAN port, the rate supported by the network cable, internet service provider factors, and other environmental conditions.